

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

SUBMISSION OF FORMAL DRAWINGS

APPLICANTS: Distler et al. ATTORNEY DOCKET NO. P05,0049
ALLOWED: August 28, 2007 CONFIRMATION NO. 2923
SERIAL NO.: 10/529,287 GROUP ART UNIT: 2882
FILED: March 25, 2005 EXAMINER: Chih Cheng G Kao
TITLE: COMPUTER TOMOGRAPHY APPARATUS AND BEAM
DIAPHRAGM THEREFOR HAVING ABSORBER ELEMENTS
SHAPED TO PRODUCE A NON-UNIFORM BEAM PASSAGE
OPENING


MAIL STOP ISSUE FEE

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

S I R:

Applicants herewith submit five sheets (Figs. 1-7) of formal drawings for the above application. Although the Notice of Allowability did not include a requirement to submit corrected drawings, the drawings as originally filed included handwritten legends, and were clearly informal. The enclosed drawings conform in all respects to the requirements of 37 C.F.R. §1.84.

Submitted by,



(Reg. 28,982)

SCHIFF, HARDIN LLP

CUSTOMER NO. 26574

Patent Department
6600 Sears Tower
233 South Wacker Drive
Chicago, Illinois 60606
Telephone: 312/258-5790
Attorneys for Applicants.